

FLOCKED FLOORING IN SHEET, TILE AND PLANK

Flotex is a floor covering that looks and feels like a carpet without any of the drawbacks of a textile floor covering. It has a smooth, velour like surface that is comfortable to walk on and warm underfoot, with excellent slip resistant and acoustic properties.


flotex® colour

Choice is about possibilities, and choice in design starts with colour. Colour can communicate a message without words, it evokes emotions, creates associations and has the power to effect the whole mood and feel of an environment. Colour is personal and conveys our feelings and values, it is a fundamental part of our freedom to choose.



flotex® naturals

This special range of digitally printed Flotex delivers the appearance of a real wood floor but with improved acoustics and reduced maintenance costs.



flotex® stratus

The variety of installation methods available for Stratus opens up a huge number of flooring design options and, when used alongside colours from the contemporary Cirrus design, the creative options become almost infinite.




Flotex, more than any of our products, fulfils our ambition to contribute to creating better indoor environments by committing to the health and well-being of all individuals living and working in indoor spaces. Flotex achieves this through excellent hygiene and sound absorbing qualities, phthalate-free products, the certification by Allergy UK for the positive effects it has on allergy sufferers, and a wide range of stimulating designs and sympathetic colours which can create inspiring interiors.



FLOTEX COLLECTION AT A GLANCE

flotex® cirrus

The Cirrus design is ideal for large scale installations and also offers a wide choice of fitting methods for additional flexibility. When used in combination with the Stratus design, colour coordinated solutions can easily be created.



flotex® cityscape

The embossed lines in the Flotex Cityscape collection create an intriguing design that changes in the light from whatever angle you observe the floor. Inspired by the lines and intersections of the urban landscape the collection captures the reflection and the rhythm of the windows of the city's sky scrapers or the pattern of the street beneath them.



flotex® planks

The performance attributes of Flotex along with the design versatility of the Plank collection, make these modular floor coverings ideal for use in workspaces as well as high traffic areas such as call centres, hotels and transport hubs.



flotex®
THE HIGH-TECH TEXTILE



UP TO 22 dB
IMPACT SOUND
REDUCTION AND 0.25 dB
IN ROOM SOUND RATING



EXCELLENT
SLIP RESISTANCE
WHEN WET



WASHABLE and
WATERPROOF



MECHANICAL
WET CLEANING
POSSIBLE




THE ONLY TEXTILE
FLOORING WITH
APPROVAL FROM THE
BRITISH ALLERGY
FOUNDATION



FLOTEX

Up to 80 million straight nylon fibres per m² are electrostatically flocked into the backing. The unique structure ensures dirt and allergens can be released when vacuumed.




30% MORE SOIL
RELEASED THAN CARPET



CARPET

Loop and cut pile carpets have a structure that makes removing allergens and fine dust very difficult in comparison to the smooth, straight and almost upright fibres in Flotex flocked flooring.





Flotex, more than any of our products, fulfils our ambition to contribute to creating better indoor environments by committing to the health and well-being of all individuals living and working in indoor spaces. Flotex achieves this through excellent hygiene and sound absorbing qualities, phthalate-free products, the certification by Allergy UK for the positive effects it has on allergy sufferers, and a wide range of stimulating designs and sympathetic colours which can create inspiring interiors.




FLOTEX COLOUR COLLECTION AT A GLANCE

flotex® colour

metro | penang | calgary | canyon

Four versatile and fresh designs make up the Flotex Colour collection: Metro, Calgary, Penang and Canyon. Together they offer a range of 90 unique colourways. All are available in sheet and tile, with 30 references available in plank.

The range is also complemented by 22 borders.



flotex® colour

metro

Metro is a versatile semi-plain floor design which covers a wide and modern colour bank. The understated pattern conveys texture without definite form, creating an authentic feel that is unique to Flotex flooring



penang

Flotex Penang offers a stunning look for any modern environment. It creates a subtle linear effect and comes in a range of rich modern shades



calgary

Flotex Calgary offers a wide colour choice in a soft, natural design that works well in larger areas. The pattern can be easily combined with complementary Flotex or resilient ranges and is the perfect choice for application areas that require a muted ambience.



canyon

Flotex Canyon is a heavily grained semi-plain inspired by natural earth and rock. It has a distinctive strong texture with a medium contrast.



flotex® colour

metro | penang | calgary | canyon



canyon | limestone LRV17%
s445022 t545022 p945022 ☑



calgary | cement LRV 13%
s290012 t590012 p990012 ☑



canyon | stone LRV 13%
s445021 t545021 p945021 ☑



penang | smoke LRV 14%
s482005 t382005 ☑



penang | nimbus LRV 14%
s482017 t382017 p982017 ☑



canyon | pumice LRV 8%
s445020 t545020 p945020 ☑



penang | zinc LRV 9%
s482007 t382007 p982007 ☑



penang | mercury LRV 10%
s482004 t382004 p982004 ☑




metro | nimbus LRV 13%
s246005 t546005 p946005 ☑




calgary | grey LRV 8%
s290002 t590002 p990002 ☑




metro | grey LRV 8%
s246006 t546006 p946006
AcousticPlus t746006* ☑




penang | grey LRV 10%
s482037 t382037 p982037 ☑




penang | ash LRV 5%
s482031 t382031 p982031 ☑




calgary | ash LRV 4%
s290010 t590010 p990010 ☑




canyon | slate LRV 4%
s445019 t545019 p945019 ☑



metro | ash LRV 4%
s246007 t546007 p946007 ☑



penang | anthracite LRV 3%
s482001 t382001 ☑



metro | anthracite LRV 3%
s246008 t546008 p946039
to546908 tg546508

Description	Flocked flooring
Dimensions	Sheet: Roll width 2m Roll length ≤ 30m Tile: 50cm x 50cm (3m² per box)
Total thickness	ISO 1765 Sheet: 4.3mm Tile: 5.0mm
Slip resistance	Pendulum test Wet – low slip risk
Application	EN 1307 Class 33 heavy
Impact sound reduction	EN ISO 717-2 Sheet: ΔLw ≥ 20 dB Tile: ΔLw ≥ 19 dB
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} -s1
Slip resistance	EN 13893 DS: ≥0.30
Body voltage	EN ISO 10965 < 2 kV

Sheet Tile

Full technical specifications are available at www.forbo-flooring.com
Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

Usage classification

- ☑ Superior appearance rating
- ☑ Good appearance rating
- ☑ Moderate appearance rating

s = Sheet

t = Tile

p = Planks

* Metro Grey t746006 is a stocked item
The AcousticPlus can be ordered for all tiles
as a special order as of 700m2 per colour.

flotex® colour

metro | penang | calgary | canyon



calgary | carbon LRV 18%
s290019 t590019 p990019



canyon | cloud LRV 24%
s445024 t545024



calgary | riviera LRV 20%
s290025 t590025



calgary | sky LRV 15%
s290001 t590001



metro | gull LRV 11%
s246004 t546004
to546904 tg546504



calgary | crystal LRV 16%
s290017 t590017



canyon | sapphire LRV 15%
s445028 t545028



penang | orchid LRV 22%
s482027 t382027



metro | lilac LRV 9%
s246034 t546034



calgary | condor LRV 10%
s290022 t590022



metro | lagoon LRV 10%
s246020 t546020 p946020
to546920 tg546520



penang | purple LRV 5%
s482024 t382024



metro | grape LRV 5%
s246016 t546016 p946016



calgary | azure LRV 4%
s290015 t590015



penang | neptune LRV 10%
s482026 t382026



penang | sapphire LRV 17%
s482011 t382011



metro | indigo LRV 3%
s246001 t546001 p946001



penang | azure LRV 4%
s482116 t382116

Description	Flocked flooring	
Dimensions	Sheet: Roll width 2m	
	Roll length ≤ 30m	
	Tile: 50cm x 50cm (3m² per box)	
Total thickness	ISO 1765	Sheet: 4.3mm Tile: 5.0mm
Slip resistance	Pendulum test	Wet – low slip risk
Application	EN 1307	Class 33 heavy
Impact sound reduction	EN ISO 717-2	Sheet: ΔLw ≥ 20 dB Tile: ΔLw ≥ 19 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _n -s1
Slip resistance	EN 13893	DS: ≥ 0.30
Body voltage	EN ISO 10965	< 2 kV

Sheet  Tile   

Full technical specifications are available at www.forbo-flooring.com
Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

flotex® colour


metro | penang | calgary | canyon



calgary | aqua LRV 29%
s290021 t590021



metro | mineral LRV 15%
s246018 t546018




canyon | kelp LRV 19%
s445027 t545027



penang | sage LRV 35%
s482006 t382006



calgary | lime LRV 36%
s290014 t590014




calgary | moss LRV 13%
s290009 t590009



canyon | seafoam LRV 11%
s445029 t545029



calgary | menthol LRV 17%
s290004 t590004



metro | citrus LRV 18%
s246019 t546019 p946019
to546919 tg546519




metro | apple LRV 15%
s246037 t546037



penang | evergreen LRV 7%
s482010 t382010



metro | jade LRV 7%
s246028 t546028



metro | tempest LRV 7%
s246002 t546002




metro | emerald LRV 11%
s246033 t546033




metro | carbon LRV 5%
s246024 t546024 p946024



metro | petrol LRV 4%
s246032 t546032 p946032
to546932 tg546532



metro | evergreen LRV 6%
s246022 t546022
to546922 tg546522



metro | moss LRV 7%
s246021 t546021

Usage classification

- Superior appearance rating
- Good appearance rating
- Moderate appearance rating

s = Sheet

t = Tile


p = Planks

flotex® colour

metro | penang | calgary | canyon



calgary | saffron
s290008 t590008 LRV 28%



calgary | sahara
s290006 t590006 LRV 29%



calgary | suede
s290007 t590007 LRV 23%



penang | coral
s482016 t382016 LRV 16%



canyon | sulphur
s445030 t545030 LRV 31%



metro | amber
s246013 t546013 LRV 22%



calgary | caramel
s290013 t590013 LRV 17%



penang | ginger
s482019 t382019 LRV 18%



calgary | melon
s290005 t590005 LRV 10%



canyon | granet
s445026 t545026 LRV 7%



metro | gold
s246036 t546036 LRV 30%



metro | tangerine
s246025 t546025 p946025 LRV 17%



calgary | fire
s290024 t590024 LRV 11%



metro | red
s246026 t546026 p946026 to546926 tg546526 LRV 9%




metro | cherry
s246031 t546031 LRV 6%



metro | pink
s246035 t546035 LRV 7%



metro | berry
s246017 t546017 p946017 to546917 tg546517 LRV 5%



metro | burgundy
s246027 t546027 LRV 2%

Description	Flocked flooring
Dimensions	Sheet: Roll width 2m Roll length ≤ 30m Tile: 50cm x 50cm (3m² per box)
Total thickness	ISO 1765 Sheet: 4.3mm Tile: 5.0mm
Slip resistance	Pendulum test Wet – low slip risk
Application	EN 1307 Class 33 heavy
Impact sound reduction	EN ISO 717-2 Sheet: ΔLw ≥ 20 dB Tile: ΔLw ≥ 19 dB
CE	EN 14041
Reaction to fire	EN 13501-1 B _{f1} -s1
Slip resistance	EN 13893 DS: ≥ 0.30
Body voltage	EN ISO 10965 < 2 kV


Sheet Tile

Full technical specifications are available at www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

flotex® colour

metro | penang | calgary | canyon



calgary | quartz LRV 28%
s290011 t590011




penang | bamboo LRV 21%
s482018 t382018



calgary | espresso LRV 15%
s290023 t590023




penang | flax LRV 15%
s482075 t382075



metro | sand LRV 18%
s246012 t546012
to546912 tg546512



canyon | linen LRV 17%
s445023 t545023




calgary | linen LRV 16%
s290026 t590026




canyon | earth LRV 16%
s445025 t545025



penang | beige LRV 12%
s482015 t382015



metro | truffle LRV 9%
s246029 t546029
to546929 tg546529



metro | pebble LRV 14%
s246011 t546011 p946011




metro | pepper LRV 9%
s246009 t546009 p946009




penang | dusk LRV 8%
s482023 t382023




penang | shale LRV 10%
s482020 t382020 p982020




metro | cocoa LRV 7%
s246015 t546015



metro | concrete LRV 4%
s246014 t546014 p946014



metro | chocolate LRV 3%
s246010 t546010



metro | cinnamon LRV 4%
s246030 t546030
to546930 tg546530

Usage classification

- Superior appearance rating
- Good appearance rating
- Moderate appearance rating

s = Sheet

t = Tile

p = Planks

flotex® colour

embossing highlight



Would you like to have areas of your floor that stand out? Think about the option to use tiles with embossing. This way you can play with the floor design and have areas or individual tiles be different from the rest. The below 12 items can be chosen with either the organic or glass embossing. All embossed Flotex has the same performance characteristics as any other Flotex.



Emboss glass


Inspired by glass this pattern is a random geometric that can be used to add a striking accent to an installation.



Emboss organic

This is a versatile pattern that gives a subtle effect bringing direction to the tiles without being too formal.

Colour range





metro | pebble | t546011
metro | berry | t546017 | tg546517



Our renewed Flotex Vision Naturals range enables you to create the aesthetic of a real wood or ceramics floor, whilst maintaining the warmth, acoustics and comfort that a carpet offers.

Our state of the art digital printing technique achieves high quality, true to life visuals of wood and ceramic textures.




010076 | limed wood *



010078 | shaded oak *



010058 | titanium oak *



010073 | heritage plank *



010074 | shadow plank *




010077 | smoked walnut *



010075 | warm oak *



010039 | European white wood *



010036 | American oak *



010038 | white oak *




010034 | pear wood



010042 | steamed beech *



010041 | smoked beech *



010035 | distressed oak *



010002 | reclaimed pine



010056 | stained pine




010020 | dark elm



010003 | mixed wood antique




010012 | light elm




010057 | cedar



010013 | mixed wood rose



010040 | antique pine *



010033 | English oak




010037 | blackened oak *


Usage classification

☐ Superior appearance rating ◐ Good appearance rating ● Moderate appearance rating

Full technical specifications are available at www.forbo-flooring.com
Please note: Digital representations may vary from the actual product.
Please order a sample to see the full effect.



☑ LRV 20



☑ LRV 18



☑ LRV 14

010079 | hungarian point grey *

010071 | summer chevron *

010080 | hungarian point *



☑ LRV 6




☑ LRV 10



☑ LRV 10



☑ LRV 3



☑ LRV 8


010072 | autumn chevron *

010021 | reclaimed oak


010014 | teak

010031 | anthracite wood

010018 | linear walnut



☑ LRV 8




☑ LRV 6




☑ LRV 4



☑ LRV 9



☑ LRV 16



☑ LRV 5

010051 | lava stone


010052 | welsh slate

010008 | dark slate

010023 | grey slate

010017 | cork amber

010046 | China black



☑ LRV 14



☑ LRV 23




☑ LRV 35


010045 | farmhouse tile

010029 | limestone slate

010048 | Roman spa



☑ LRV 25



☑ LRV 28



☑ LRV 38

010050 | salt glaze

010047 | limestone pavement

010043 | cornerstone

Description	Flocked flooring	
Dimensions	Roll width 2m	
	Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	48	
Application	EN 1307	Class 33 heavy
Impact sound reduction	EN ISO 717-2	ΔLw = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV



Stratus **t540004** | fossil
Cirrus **t570004** | fossil

Flotex, more than any of our products, fulfils our ambition to contribute to creating better indoor environments by committing to the health and well-being of all individuals living and working in indoor spaces. Flotex achieves this through excellent hygiene and sound absorbing qualities, phthalate-free products, the certification by Allergy UK for the positive effects it has on allergy sufferers, and a wide range of stimulating designs and sympathetic colours which can create inspiring interiors.



flotex® stratus

The variety of installation methods available for Stratus opens up a huge number of flooring design options and, when used alongside colours from the contemporary Cirrus design, the creative options become almost infinite.



flotex® cirrus

The Cirrus design is ideal for large scale installations and also offers a wide choice of fitting methods for additional flexibility. When used in combination with the Stratus design, colour coordinated solutions can easily be created.



flotex® cityscape

The embossed lines in the Flotex Cityscape collection create an intriguing design that changes in the light from whatever angle you observe the floor. Inspired by the lines and intersections of the urban landscape the collection captures the reflection and the rhythm of the windows of the city's sky scrapers or the pattern of the street beneath them.






The Flotex Cirrus & Stratus collection is made up of two coordinating designs in a variety of colours to enable complete freedom of expression - create connections, highlights and transitions that will enhance any style of scheme. Used separately or in combination, this modular tile collection is well suited to office environments that have raised access floors. Flotex also has excellent acoustic properties of up to 22dB and is the only textile floor covering to receive the prestigious Allergy UK Seal of Approval™, helping to improve indoor air quality and creating better environments, in which to live, learn, work and play.

flotex® stratus


flotex® cirrus



t540005 | stratus sapphire LRV 21



t540008 | stratus onyx LRV 10



t540014 | stratus eclipse LRV 10



t540015 | stratus storm LRV 10



t570005 | cirrus sapphire LRV 10



t570008 | cirrus onyx LRV 11




t570014 | cirrus eclipse LRV 11



t570015 | cirrus storm LRV



Stratus t540008 | onyx
Cirrus t570008 | onyx

Description	Flocked flooring	
Dimensions	Tile: 50cm x 50cm	
Total thickness	ISO 1765	5.0 mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	16	
Application	EN 1307	Class 33 heavy
Impact sound reduction	EN ISO 717-2	$\Delta L_w \geq 19$ dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _f s1, L, NCS
Slip resistance	EN 13893	$\mu \geq 0.30$
Body voltage	ISO 6365	< 2 kV
Installation	Tile	



Put Flotex in the spotlight and you'll discover its performance will never let you down. This unique flocked floor covering has been designed to handle high traffic and cleans up like new every time, without wearing or fading. It is well suited to areas where durability and cleanability are essential so there's no need to decide between functionality or style, why not have both with Flotex?

flotex® stratus

flotex® cirrus



t540003 | stratus sisal

LRV 15




t540004 | stratus fossil

LRV 13



t540006 | stratus ruby

LRV 9




t540007 | stratus mint

LRV 10



t570003 | cirrus sisal

LRV 15



t570004 | cirrus fossil

LRV 14



t570006 | cirrus ruby

LRV 12



t570007 | cirrus mint

LRV 10

Using European (EN) approved testing methodology we have graded every item in the collection on its ability to 'hide' dirt or staining that occurs during normal use depending on the application.

Usage classification

- ☐ Superior appearance rating
- ☒ Good appearance rating
- ☐ Moderate appearance rating




Cirrus t570003 | sisal




The embossed lines in the Flotex Cityscape collection create an intriguing design that changes in the light from whatever angle you observe the floor. Inspired by the lines and intersections of the urban landscape the collection captures the reflection and the rhythm of the windows of the city's sky scrapers or the pattern of the street beneath them. The grid like patterns which are embossed in the Flotex nylon fibers create tactility as well as comfort and provide a third dimension to the floor. Discover and experience a whole new flooring concept with Flotex Cityscape.


flotex® integrity²




charcoal | t350003 50x50 cm
t353003 50x25 cm
t351003 embossed 50x50 cm
t352003 embossed 50x25 cm LRV 8%




grey | t350001 50x50 cm
t353001 50x25 cm
t351001 embossed 50x50 cm
t352001 embossed 50x25 cm LRV 8%




navy | t350004 50x50 cm
t353004 50x25 cm
t351004 embossed 50x50 cm
t352004 embossed 50x25 cm LRV 3%



steel | t350002 50x50 cm
t353002 50x25 cm
t351002 embossed 50x50 cm
t352002 embossed 50x25 cm LRV 4%




granite | t350012 50x50 cm
t353012 50x25 cm
t351012 embossed 50x50 cm
t352012 embossed 50x25 cm LRV 8%




marine | t350006 50x50 cm
t353006 50x25 cm
t351006 embossed 50x50 cm
t352006 embossed 50x25 cm LRV 7%



t350011 | integrity² leaf



taupe | t350009 50x50 cm
t353009 50x25 cm
t351009 embossed 50x50 cm
t352009 embossed 50x25 cm LRV 12%



leaf | t350011 50x50 cm
t353011 50x25 cm
t351011 embossed 50x50 cm
t352011 embossed 50x25 cm LRV 19%

Using European (EN) approved testing methodology we have graded every item in the collection on its ability to hide dirt or staining that occurs during normal use depending on the application.


Usage classification

- Superior appearance rating
- Good appearance rating
- Moderate appearance rating

flotex® complexity



t551010 | complexity straw embossed,
t350011 | integrity leaf, t351011 | integrity leaf embossed

Description	Flocked flooring	
Dimensions	Tile: 50cm x 50cm	
Total thickness	ISO 1765	5.0 mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	16	
Application	EN 1307	Class 33 heavy
Impact sound reduction	EN ISO 717-2	$\Delta L_w = 19$ dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1, L, NCS
Slip resistance	EN 13893	$\mu \geq 0.30$
Body voltage	ISO 6365	< 2 kV
Installation	Tile 	



charcoal | t550003 50x50 cm
t553003 50x25 cm
t551003 embossed 50x50 cm
t552003 embossed 50x25 cm LRV 10% 



blue | t550007 50x50 cm
t553007 50x25 cm
t551007 embossed 50x50 cm
t552007 embossed 50x25 cm LRV 11% 



grey | t550001 50x50 cm
t553001 50x25 cm
t551001 embossed 50x50 cm
t552001 embossed 50x25 cm LRV 9% 



navy | t550004 50x50 cm
t553004 50x25 cm
t551004 embossed 50x50 cm
t552004 embossed 50x25 cm LRV 8% 



marine | t550006 50x50 cm
t553006 50x25 cm
t551006 embossed 50x50 cm
t552006 embossed 50x25 cm LRV 7% 



straw | t550010 50x50 cm
t553010 50x25 cm
t551010 embossed 50x50 cm
t552010 embossed 50x25 cm LRV 18% 

flotex® planks

ombré

Strongly textile, subtly textured and shading from dark to light. The effect is one of deliberate contrasts, as the elements of the design mix with the format of plank. Ombré colours can easily be combined to make beautiful designs or used with their co-ordinating Montage colourways.



montage

The build-up of textures, with layer upon layer of blending and mixing structures, evolve into a complex pattern that gives Montage an elegant and contemporary feel. It can be used widely on its own or combined with Ombré to create inserts or zones.



frameweave

Inspired by rich woven fabric and combined with a graphical layout, the result creates both depth and movement as shapes form within the otherwise subtle design. The large choice of colours makes Frameweave a very versatile choice for designing stunning installations.



converge

Areas of pattern meet, joining at angles, creating different facets which contrast in shade or colour, forming abstract shapes and forms at random. Via their shared elements, all colours co-ordinate making this the perfect design for large areas requiring differentiation.



refract

A contrasting pattern made of textures formed by light, reflected and refracted across buildings. It has depth, movement and energy. It has been designed to ensure a perfectly random appearance, creating a stunning individual floor without the need for planning.



Flotex fulfils our ambition to contribute to creating better indoor environments by committing to the health and well-being of all individuals living and working in indoor spaces. Flotex achieves this through excellent hygiene and sound absorbing qualities, phthalate-free products, the certification by Allergy UK for the positive effects it has on allergy sufferers, and a wide range of stimulating designs and sympathetic colours which can create inspiring interiors.



FLOTEX PLANKS COLLECTION AT A GLANCE

triad

Based on the idea of a group of three lines, these geometric forms evolve becoming abstract and random, always familiar but never the same. Highly graphic and sophisticated in its design, the colourways can be combined or used individually, with or without co-ordinating accents.



box-cross

Subtly changing from a box to a cross, the motif seems to fade in and out creating light and shade that bring contrast and interest. The effect is both stylish and sophisticated, forming a unique visual look that works in both large and small areas.



seagrass

Organic but linear, naturally inspired and beautifully textured. A classic pattern with colours that can easily be mixed together in a variety of installation methods. Seagrass is versatile and understated, making it suitable for any environment.



concrete

Highlights of colour bring new life to this classic, offering a refreshing change to the normal by mixing fun with tradition. Use them on their own, together or with the classic Concrete colourways to design stunning individual floors.



marble

Classic and chic with an element of fun. To be mixed together or used individually to bring character or just challenge the senses. Marble brings something new, visually familiar yet texturally different, it aims to challenge perceptions and push boundaries.



wood

Inspired by natural wood, this familiar aesthetic takes on a new versatile guise offering a traditional look in an untraditional format. These wood patterns are beautifully detailed, look good individually and can be combined to create stunning flooring designs.



flotex® planks

ombré




Strongly textile, subtly textured and shading from dark to light. The effect is one of deliberate contrasts, as the elements of the design mix with the format of plank. Ombré colours can easily be combined to make beautiful designs or used with their co-ordinating Montage colourways.

Plank size
100 x 25 cm



Ombré 149004 | moraine




149007 | arctic LRV 11 ☑




149004 | moraine LRV 14 ☑



149006 | glacier LRV 11 ☑




149003 | tropic LRV 11 ☑




149008 | tundra LRV 13 ☑



149001 | boreal LRV 15 ☑



149002 | horizon LRV 10 ☑



149005 | estuary LRV 13 ☑

Description	Flocked flooring
Dimensions	100cm x 25cm (2.5m² per box)
Total thickness	ISO 1765 5.0mm
Slip resistance	Pendulum test Wet – low slip risk
Collection size	94
Application	EN 1307 Class 33
Impact sound reduction	EN ISO 717-2 $\Delta L_w = 19$ dB
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} s1, L, NCS
Slip resistance	EN 13893 DS: ≥ 0.30
Body voltage	EN ISO 10965 < 2 kV



Half-drop installation 1



Half-drop installation 2



Herringbone installation 1



Herringbone installation 2




Double herringbone installation 1



Double herringbone installation 2



Weave installation 1



Weave installation 2

flotex® planks

montage



The build-up of textures, with layer upon layer of blending and mixing structures, evolve into a complex pattern that gives Montage an elegant and contemporary feel. It can be used widely on its own or combined with Ombré to create inserts or zones.


Plank size
100 x 25 cm




147007 | arctic LRV 8% ☑



147004 | moraine LRV 8% ☑



147006 | glacier LRV 7% ☑




147003 | tropic LRV 7% ☑



Montage 147008 | tudra + Ombré 149008 | tudra


Description	Flocked flooring
Dimensions	100cm x 25cm (2.5m² per box)
Total thickness	ISO 1765 5.0mm
Slip resistance	Pendulum test Wet – low slip risk
Collection size	94
Application	EN 1307 Class 33
Impact sound reduction	EN ISO 717-2 ΔLw = 19 dB
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} -s1, L, NCS
Slip resistance	EN 13893 DS: ≥0.30
Body voltage	EN ISO 10965 < 2 kV




147008 | tudra LRV 8% ☑



147001 | boreal LRV 9% ☑



147002 | horizon LRV 6% ☑



147005 | estuary LRV 8% ☑



Half-drop
installation 1



Half-drop
installation 2



Herringbone
installation 1



Herringbone
installation 2



Double
herringbone
installation 1



Double
herringbone
installation 2



Weave
installation 1



Weave
installation 2

Full technical specifications are available at
www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

flotex® planks

frameweave



Inspired by rich woven fabric and combined with a graphical layout, the result creates both depth and movement as shapes form within the otherwise subtle design. The large choice of colours makes Frameweave a very versatile choice for designing stunning installations.

Plank size
100 x 25 cm



Frameweave 142004 | citrine + 142001 | pave + 142008 | pesto + 142006 | capri


Description	Flocked flooring	
Dimensions	100cm x 25cm (2.5m² per box)	
Total thickness	ISO 1765	5.0mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	94	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 19 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1, L, NCS
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV

Full technical specifications are available at
www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

Usage classification


- ☐ Superior appearance rating
- ☒ Good appearance rating
- ☐ Moderate appearance rating




142001 | pave LRV 10




142003 | sepia LRV 12




142006 | capri LRV 7




142016 | pine LRV 7



142004 | citrine LRV 14




142007 | ember LRV 9




142009 | lignite LRV 6




142015 | violet LRV 6




142014 | marine LRV 5




142008 | pesto LRV 9




142012 | verdant LRV 31




142011 | flame LRV 5




142002 | ink LRV 7




142005 | anchor LRV 6



142010 | harbour LRV 6



142013 | graphene LRV 4



142013 | graphene LRV 4



Half-drop
installation 1



Half-drop
installation 2



Herringbone
installation 1



Herringbone
installation 2



Weave
installation 1



Weave
installation 2

flotex® planks

converge



Areas of pattern meet, joining at angles, creating different facets which contrast in shade or colour, forming abstract shapes and forms at random. Via their shared elements, all colours co-ordinate making this the perfect design for large areas requiring differentiation.

Plank size
100 x 25 cm

Description	Flocked flooring
Dimensions	100cm x 25cm (2.5m ² per box)
Total thickness	ISO 1765 5.0mm
Slip resistance	Pendulum test Wet – low slip risk
Collection size	94
Application	EN 1307 Class 33
Impact sound reduction	EN ISO 717-2 $\Delta L_w = 19$ dB
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} -s1, L, NCS
Slip resistance	EN 13893 DS: ≥ 0.30
Body voltage	EN ISO 10965 < 2 kV



Half-drop
installation 1



Half-drop
installation 2



Herringbone
installation 1



Herringbone
installation 2



Weave
installation 1



Weave
installation 2



Converge 141001 | prism + 141005 | radiant + 141006 | arc




141006 | arc LRV 8 ☑




141002 | aurora LRV 5 ☑




141001 | prism LRV 5 ☑



141003 | zenith LRV 5 ☑



141007 | pinnacle LRV 5 ☑



141005 | radiant LRV 6 ☑



141004 | sunbeam LRV 6 ☑

Full technical specifications are available at
www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

Usage classification

- ☐ Superior appearance rating
- ☒ Good appearance rating
- ☒ Moderate appearance rating

flotex® planks

refract



A contrasting pattern made of textures formed by light, reflected and refracted across buildings. It has depth, movement and energy. It has been designed to ensure a perfectly random appearance, creating a stunning individual floor without the need for planning.


Plank size
100 x 25 cm



137004 | quartz LRV 5



137001 | obsidian LRV 6



137005 | topaz LRV 5

Description	Flocked flooring	
Dimensions	100cm x 25cm (2.5m² per box)	
Total thickness	ISO 1765	5.0mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	94	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	$\Delta L_w = 19$ dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1, L, NCS
Slip resistance	EN 13893	DS: ≥ 0.30
Body voltage	EN ISO 10965	< 2 kV



Half-drop
installation 1



Half-drop
installation 2



Herringbone
installation 1



Herringbone
installation 2



Weave
installation 1




Weave
installation 2



refract 137002 | firoza



137002 | firoza LRV 6



137006 | malachite LRV 8



137003 | sapphire LRV 5

Usage classification

- ☒ Superior appearance rating
- ☒ Good appearance rating
- ☒ Moderate appearance rating

flotex® planks

triad

Plank size
100 x 25 cm




Based on the idea of a group of three lines, these geometric forms evolve becoming abstract and random, always familiar but never the same. Highly graphic and sophisticated in its design, the colourways can be combined or used individually, with or without co-ordinating accents.



131005 | platinum LRV 9




131015 | stone LRV 18



131007 | steel LRV 9



131010 | taupe LRV 11



131008 | shadow LRV 6



131001 | embossed zinc LRV 8



131017 | anthracite LRV 5



131006 | silver LRV 8



triad 131003 | green + 131005 | platinum + 131007 | steel + 131013 | green line



131012 | blue line LRV 8



131013 | green line LRV 8



131014 | amber line LRV 8



131011 | red line LRV 9




131002 | blue LRV 7




131003 | green LRV 10



131004 | amber LRV 12



131001 | red LRV 8



Description	Flocked flooring	
Dimensions	100cm x 25cm (2.5m ² per box)	
Total thickness	ISO 1765	5.0mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	94	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 19 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1, L, NCS
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV

flotex® planks

box-cross



Subtly changing from a box to a cross, the motif seems to fade in and out creating light and shade that bring contrast and interest. The effect is both stylish and sophisticated, forming a unique visual look that works in both large and small areas.

Plank size
100 x 25 cm

Description	Flocked flooring	
Dimensions	100cm x 25cm (2.5m ² per box)	
Total thickness	ISO 1765	5.0mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	94	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 19 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1, L, NCS
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV



Half-drop
installation 1



Half-drop
installation 2



Random drop
installation 1




Random drop
installation 2




Box-cross 133011 | anthracite + 133002 | pearl + 133007 | granite

Usage classification


- ☒ Superior appearance rating
- ☒ Good appearance rating
- ☒ Moderate appearance rating



133002 | pearl LRV 25



133005 | linen LRV 20



133007 | granite LRV 7




133004 | biscuit LRV 20



133009 | petrol LRV 7




133016 | crimson LRV 6



133011 | anthracite LRV 4



133010 | seal LRV 7



133008 | blueberry LRV 4

flotex® planks

seagrass



Organic but linear, naturally inspired and beautifully textured. A classic pattern with colours that can easily be mixed together in a variety of installation methods. Seagrass is versatile and understated, making it suitable for any environment.


Plank size
100 x 25 cm



Seagrass 111001 | pearl + 111002 | cement + 111003 | almond + 111004 | charcoal + 111006 | liquorice



111001 | pearl LRV 26



111003 | almond LRV 19



111002 | cement LRV 13



111005 | walnut LRV 8



111004 | charcoal LRV 9



111006 | liquorice LRV 5

Description	Flocked flooring
Dimensions	100cm x 25cm (2.5m² per box)
Total thickness	ISO 1765 5.0mm
Slip resistance	Pendulum test Wet – low slip risk
Collection size	94
Application	EN 1307 Class 33
Impact sound reduction	EN ISO 717-2 ΔLw = 19 dB
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} -s1, L, NCS
Slip resistance	EN 13893 DS: ≥0.30
Body voltage	EN ISO 10965 < 2 kV



Half-drop installation 1



Half-drop installation 2



Herringbone installation 1



Herringbone installation 2



Double herringbone installation 1



Double herringbone installation 2



Weave installation 1



Weave installation 2

Usage classification

- ☐ Superior appearance rating
- Good appearance rating
- Moderate appearance rating

Full technical specifications are available at www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

flotex® planks

concrete



Highlights of colour bring new life to this classic, offering a refreshing change to the normal by mixing fun with tradition. Use them on their own, together or with the classic Concrete colourways to design stunning individual floors.


Plank size
100 x 25 cm



139001 | cloud LRV 18



139003 | smoke LRV 16



139002 | thunder LRV 11



139004 | storm LRV 11



Concrete 139001 Cloud | 139003 + Smoke | 139002 Thunder

Description	Flocked flooring	
Dimensions	100cm x 25cm (2.5m ² per box)	
Total thickness	ISO 1765	5.0mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	94	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 19 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1, L, NCS
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV



Half-drop
installation 1



Half-drop
installation 2



Herringbone
installation 1



Herringbone
installation 2



Double
herringbone
installation 1



Double
herringbone
installation 2



Weave
installation 1



Weave
installation 2



139013 | spa LRV 15



139014 | lichen LRV 15



139012 | sunset LRV 15



139011 | aqua LRV 16

Full technical specifications are available at
www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

flotex® planks

marble



Classic and chic with an element of fun. To be mixed together or used individually to bring character or just challenge the senses. Marble brings something new, visually familiar yet texturally different, it aims to challenge perceptions and push boundaries.


Plank size
100 x 25 cm



143001 | carrara LRV 26



143004 | diano LRV 26



143002 | marquina LRV 5



143003 | pietra LRV 5



marble 143004 | diano + 143003 | pietra

Description	Flocked flooring	
Dimensions	100cm x 25cm (2.5m² per box)	
Total thickness	ISO 1765	5.0mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	94	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	$\Delta L_w = 19$ dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1, L, NCS
Slip resistance	EN 13893	DS: ≥ 0.30
Body voltage	EN ISO 10965	< 2 kV



Half-drop installation 1



Half-drop installation 2



Herringbone installation 1



Herringbone installation 2



Double herringbone installation 1



Double herringbone installation 2



Weave installation 1



Weave installation 2

Full technical specifications are available at www.forbo-flooring.com
Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

flotex® planks

wood



Inspired by natural wood, this familiar aesthetic takes on a new versatile guise offering a traditional look in an untraditional format. These wood patterns are beautifully detailed, look good individually and can be combined to create stunning flooring designs.

Plank size
100 x 25 cm

Description	Flocked flooring
Dimensions	100cm x 25cm (2.5m² per box)
Total thickness	ISO 1765 5.0mm
Slip resistance	Pendulum test Wet – low slip risk
Collection size	94
Application	EN 1307 Class 33
Impact sound reduction	EN ISO 717-2 $\Delta L_w = 19$ dB
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} -s1, L, NCS
Slip resistance	EN 13893 DS: ≥ 0.30
Body voltage	EN ISO 10965 < 2 kV



151003 | silver wood LRV 31




151001 | black wood LRV 8




151002 | grey wood LRV 13




Wood 151001 | black wood + 151002 | grey wood + 151003 | silver wood + 151004 | american wood + 151006 | antique wood




Half-drop
installation 1



Half-drop
installation 2



Herringbone
installation 1



Herringbone
installation 2



Double
herringbone
installation 1




Double
herringbone
installation 2



Weave
installation 1



Weave
installation 2



151004 | american wood LRV 15



151007 | english wood LRV 13



151006 | antique wood LRV 9



151008 | rustic wood LRV 9



151005 | red wood LRV 9

Usage classification

- Superior appearance rating
- Good appearance rating
- Moderate appearance rating

Full technical specifications are available at
www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.



Flotex Planks Wood 151007 | English wood

FLOORCOVERINGS CREATED BY

Forbo Flooring has been very privileged to team up with some amazing designers. Many have found inspiration from our advanced production methods which in many cases, allow high definition digital printing, enabling the designers to achieve an exact translation of their design vision.

flotex[®] BY STARCK[®]

Forbo Flooring Systems collaborated with visionary creator Philippe Starck in designing a highly innovative collection of floor covering systems: Flotex by Starck.



flotex[®] tibor

Forbo Flooring Systems has teamed up with Tibor Ltd. Tibor Reich, the creator of Tibor, was a man ahead of his time. Although these striking patterns date from the 1950's, they could have been designed yesterday.



flotex[®] sottsass


This exclusive design collaboration between Forbo and Sottsass Association was borne out of the desire to work with an innovative flooring technology and its precision HD printing brings to life the avant-garde designs that clearly carry the Sottsass signature.



mbstudio

Floorcoverings created by José Medina Galeote

José Medina Galeote is a Spanish artist who uses painting and other techniques to reflect on the creative process. By bringing his works of art right under our feet, José Médina Galeote explores new perspectives on various textures, such as textile and vinyl flooring.



Mac Stopa

by MAC STOPA

This collection is based on the idea of architectural modularity and the desire to organize the space around us in an architectural way. This is realised through the use of repetitive geometric forms, such as hexagons, trapezoids or braided structures which form the base of the collection.



Forbo Flooring Systems collaborated with visionary creator Philippe Starck in designing a highly innovative collection of floor covering systems: Flotex by Starck.

Philippe Starck created a collection of 3 systems, named **Vortex**, **Artist** and **Twilight**. Each of them comes in four separate parts that can be freely arranged to create patterns for your project that adapts to your needs and preferences. Using a high definition digital printing technique with the dense fibre surface of Flotex flocked flooring, Starck's collection features unique patterns. By playing on scale and transition, each of the three systems challenges tradition and creates a new language in the perception of interior spaces and floor covering design.



Description	Flocked flooring
Dimensions	Roll width 2m Roll length ≤ 30m
Total thickness	ISO 1765 4.3mm
Slip resistance	Pendulum test Wet – low slip risk
Collection size	6
Application	EN 1307 Class 33
Impact sound reduction	EN ISO 717-2 ΔLw = 20 dB
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} -s1
Slip resistance	EN 13893 DS: ≥0.30
Body voltage	EN ISO 10965 < 2 kV


Our recommended adhesive for Flotex Tibor is 540 Eurosafe Special or 640 Eurostar Special. Full technical specifications are available at www.forbo-flooring.com



**“Organised chaos of the wind
on the field”**

Philippe Starck

Vortex is a system of elements that are designed to transform the way we look at space. It provides a flexible solution to enable planning across large and small areas with patterns that freely mix and interchange allowing a contrast between large scale design and semi-plain texture. The Vortex design is available in 6 distinctive highlight colourways.



AB						
	312001 white	312002 ruby	312003 terracotta	312004 blue	312005 chartreuse	312006 gold
AB						
	313001 white	313002 ruby	313003 terracotta	313004 blue	313005 chartreuse	313006 gold
AB						
	314001 white	314002 ruby	314003 terracotta	314004 blue	314005 chartreuse	314006 gold
AB						
	301000 grey	301022 ruby	301010 terracotta	301021 blue	301012 chartreuse	301011 gold










"Nothing replaces the painter's hand"

Philippe Starck

Artist is a concept based on the transition of two textures that can be used either individually or together with one colour fading into another. The different parts provide a way of designing and planning space in a subtle but visually engaging way, creating a flow of colour that allows areas to be differentiated whilst maintaining a distinctive look and feel in a building.





						
B2	322007 ultramarine / turquoise	322009 umber / taupe	322011 olive / gold	322008 anthracite / silver	322010 umber / terracotta	322012 emerald / chartreuse
						
B3	323007 ultramarine / turquoise	323009 umber / taupe	323011 olive / gold	323008 anthracite / silver	323010 umber / terracotta	323012 emerald / chartreuse
						
B4	324007 ultramarine / turquoise	324009 umber / taupe	324011 olive / gold	324008 anthracite / silver	324010 umber / terracotta	324012 emerald / chartreuse
						
AB	301007 turquoise	301009 umber / taupe	301011 olive / gold	301008 anthracite / silver	301010 umber / terracotta	301012 emerald / chartreuse



“Eternal fight of night and day”

Philippe Starck

Twilight is a play on lights, shadows and colours. A design with two strong powerful and complementary sides ; one jewel like, bright and light and the other as a shadow of deep dark rich shades. They come together in a transition element that creates energy and impact making a bold statement that can both divide and link space simultaneously. The different parts allowing a mix and match flexibility across any size of installation.




	C1	C2	C3	C4	C1			
C2								
	332013 pewter / steel	332019 umber / taupe	332015 umber / spice	332020 burgundy / ruby	332017 sapphire / titan blue	332014 sapphire / teal	332018 emerald / chartreuse	332016 antique / amber
C3								
	333013 pewter	333019 umber	333015 umber	333020 burgundy	333017 sapphire / titan blue	333014 sapphire	333018 emerald	333016 antique
C4								
	334013 pewter / steel	334019 umber / taupe	334015 umber / spice	334020 burgundy / ruby	334017 sapphire / titan blue	334014 sapphire / teal	334018 emerald / chartreuse	334016 antique / amber
C1								
	331013 steel	331019 taupe	331015 spice	331020 ruby	331017 titan blue	331014 teal	331018 chartreuse	332016 amber

TIBOR

ORIGINAL SINCE 1946

Tibor Reich, the creator of Tibor Ltd, received many important commissions, including textiles for the young Queen Elizabeth II and the Festival of Britain, and later for Concorde and the QEII. Renowned for his Deep Texture weaves, which were widely adopted by leading furniture manufacturers, such as G-Plan and Ercol, Tibor also excelled at printed fabrics, notably the highly-acclaimed Fotexur range.

A multi faceted artist, he also designed carpets, wallpapers, ceramics, tiles and vinyl flooring, all in his distinctive co-ordinated style.



TIBOR AND **THE ART OF FOTEXUR**

Hungarian émigré Tibor Reich (1916-1996) was one of the most prominent figures in the British post-war textile industry. A gifted artist and dynamic entrepreneur, he moved to the UK in 1937 to study at Leeds University. Tibor Ltd, the company he founded in 1946, was established at Clifford mill near Stratford-upon-Avon in Warwickshire, England. It was a leading brand throughout the 1950's and 60's.



Texture was the defining feature of Tibor's textiles. As well as his celebrated Deep Texture weaves, he produced arresting screen-printed curtain fabrics, known as texture Prints.

Most of the designs selected by Forbo are from Tibor's ground-breaking Fotexur collection, launched in 1957, winner of the Council of Industrial Design's inaugural Design Centre Award. The 'Fo' refers to photography, while 'texur' evokes texture, both key aspects of these designs.

Close-up photographs of organic materials, such as straw and bark, provided the starting point for Tibor's intriguing Fotexur patterns. A keen photographer, he drew inspiration from the natural world. His eye was attracted to relief patterns and tonal contrasts in unusual places, such as fissures in a dried up river bed. Tibor also photographed his own weaves and used these images in his designs.

The Fotexur process began by screen-printing the photograph on paper, before isolating a section of the image and cutting it into squares or strips. Patterns were created by rotating and re-arranging these repeated motifs in different formations to create energetic and rhythmic compositions. Tibor's bold choice of colour variations provided the final ingredient to these stimulating and eye-catching designs.

Printed on Forbo Flotex in vibrant colours, Tibor's innovative Fotexur designs have a timeless feel, despite dating back 70 years.



flotex® tibor


ziggurat



Through focusing on texture and line, Tibor’s detailed photograph of straw inspired this famous pattern from the Fotexur range. The photograph was taken in the spring sunshine to give the image greater definition and the design deliberately highlights the tonal contrast between light and dark. Co-ordinating broad stripes are available in two colourways.



980211 | saffron



980203 | rust



980207 | marigold



980209 | autumn stripe



980206 | aqua



980202 | teal



980208 | marine



980210 | taupe



980204 | raspberry



980212 | grey stripe



980201 | lead



980205 | gunmetal

Description	Flocked flooring
Dimensions	Roll width 2m Roll length ≤ 30m
Total thickness	ISO 1765 4.3mm
Slip resistance	Pendulum test Wet – low slip risk
Collection size	12
Application	EN 1307 Class 33
Impact sound reduction	EN ISO 717-2 ΔLw = 20 dB
CE	EN 14041
Reaction to fire	EN 13501-1 B _{fl} -s1
Slip resistance	EN 13893 DS: ≥0.30
Body voltage	EN ISO 10965 < 2 kV


All items in this range are made to order. Lead time on request.

flotex® tibor


mosaic




Tibor often incorporated richly-textured 'fancy yarns' into his weaves to create tactile effects. For this pattern Tibor photographed a sheer fabric made from slub yarn. The uniformity of the grid contrasts pleasingly with the randomness of the loops. Co-ordinating stripes available in two colourways.




980412 raspberry stripe




980403 | raspberry




980407 | tomato




980409 | citron




980402 | cornflower




980404 | lime




980406 | aqua




980411 | marine stripe




980405 | monochrome



980408 | stone



980410 | saffron



980401 | pewter



Tibor Mosaic 980406 | aqua

Description	Flocked flooring	
Dimensions	Roll width 2m Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	12	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _n -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV

Our recommended adhesive for Flotex Tibor is 540 Eurosafe Special or 640 Eurostar Special. Full technical specifications are available at www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.



BREEAM ratings

Flotex Tibor – Flotex F200 HD sheet with PVC backing (EN1307)

	Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
Sheet	A	A	A	B	A	A+	✓

All items in this range are made to order. Lead time on request.

flotex® tibor

quartz



The natural world provided a great source of inspiration for Tibor and he photographed it extensively. This pattern depicts the granular composition of rocks and pebbles.



Description	Flocked flooring	
Dimensions	Roll width 2m Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	6	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV

Our recommended adhesive for Flotex Tibor is 540 Eurosafe Special or 640 Eurostar Special. Full technical specifications are available at www.forbo-flooring.com



980106 | cornflower




980105 | orange




980103 | saffron



980102 | camel



980104 | white



980101 | black

All items in this range are made to order. Lead time on request.

flotex® tibor

tessello



This ingenious Tibor pattern has two distinct layers: a fine mesh in the background, overlaid with a fragmented larger scale-grid. Structured yet informal, its subtle textures create a highly effective low-key flooring design.



Tibor Tessello 980305 | ice



980308 | fuschia



980304 | tomato



980306 | marine



980302 | aqua



980303 | lime

Description	Flocked flooring	
Dimensions	Roll width 2m Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	10	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.



980307 | saffron



980301 | pewter



980305 | ice



980309 | stone



980310 | taupe



BREEAM ratings

Flotex Tibor – Flotex F200 HD sheet with PVC backing (EN1307)

	Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
Sheet	A	A	A	B	A	A+	✓


All items in this range are made to order. Lead time on request.

flotex® tibor

onyx




Although this pattern resembles marble, it was actually inspired by a photograph of cracked mud in the riverbed next to Tibor's Clifford Mill. One of his most famous Fotexur designs, it was originally used for a woven carpet called Padua, so it is particularly apt that it is now being used for decorative flooring once again. The majority of colourways work in pairs as positive and negative variations.




980701 | lime



980710 | moss




980712 | clay




980706 | honey


Description	Flocked flooring	
Dimensions	Roll width 2m Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	12	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{f1} -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV




980711 | taupe




980704 | marine




980707 | mauve



980705 | heather




980702 | pewter



980703 | grey



980708 | smoke



980709 | stone

All items in this range are made to order. Lead time on request.

flotex® tibor

tweedy




Tibor was unusual as a textile designer in creating both printed and woven fabrics. This pattern was inspired by a photograph of one of his celebrated Deep Texture weaves, in which irregular slubby yarns were used to create tactile fabrics with textural variety and depth.



980509 | orange




980504 | flame



980513 | petrol



980514 | citron



980508 | lime



980511 | monochrome



980503 | aqua




980506 | stone



980502 | marine




980507 | grey



980510 | clay



980501 | pewter



980505 | coffee



980512 | raspberry



BREEAM ratings

Flotex Tibor – Flotex F200 HD sheet with PVC backing (EN1307)

	Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
Sheet	A	A	A	B	A	A+	✓



Tibor Tweedy 980504 | flame

Description	Flocked flooring	
Dimensions	Roll width 2m Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	14	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV

Our recommended adhesive for Flotex Tibor is S40 Eurosafe Special or 640 Eurostar Special. Full technical specifications are available at www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

All items in this range are made to order. Lead time on request.



Like all Tibor's Fotexur patterns, the starting point for this design was a crisp black and white photograph taken by the designer himself. The image, recording the rough striated bark of an oak tree, is ruggedly textural, providing the perfect foil for varied coloured overlays.



Description	Flocked flooring	
Dimensions	Roll width 2m Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	12	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV



980606 aqua



980612 | saffron



980610 cornflower



980608 marigold




980602 marine



980603 moss




980601 | pewter



980605 | grey



980611 | taupe



980609 | stone



980607 | clay



980604 purple

All items in this range are made to order. Lead time on request.



This design, derived from a photograph of an atomic structure, symbolises the period known as the Atomic Age. Part of the Colatomic range, launched in 1960, it reflects Tibor's dual interests in colour and texture. It also reflects the impact of Abstract Expressionism, which was very popular in the art world at the time.



Tibor Atomic **980803** | monochrome



980803 | monochrome



980801 | raspberry



980804 | aqua



980802 | saffron

Description	Flocked flooring	
Dimensions	Roll width 2m Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	4	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔL _w = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV



BREEAM ratings
Flotex Tibor – Flotex F200 HD sheet with PVC backing (EN1307)

	Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
Sheet	A	A	A	B	A	A+	✓

All items in this range are made to order. Lead time on request.

At the crossroads of art, design and architecture, the work of Ettore Sottsass represents the birth of non-conformist Italian design, somewhere between the industrial and the experimental. A prominent figure in Italian design since the 1950's, this ingenious free thinker sought to explore every creative avenue with a non-conformist attitude that was both assuming and audacious.

Whether designer, architect, sculptor, artist or photographer, Ettore Sottsass has left his mark and his commitment in his global view of the environment and space, through his sculptures, jewellery, artwork, furniture, and industrial objects. Today, many designers and architects emulate his spiritual heritage, radical in its stance against functionalism.

The exclusive design collaboration with Flotex was borne out of the desire to work with an innovative flooring technology and its precision HD printing brings to life the avant guard designs that clearly carry the Sottsass signature.



Sottsass 990701 | terrazzo


flotex® sottsass

bacteria




Bacteria is a development of one of Ettore Sottsass' signature designs, created in the late 1970's, a forerunner of the current modern age of nano technology and genetic engineering. Optically challenging, the design is open to wide interpretation, close up amoebic forms sway and shift yet from afar it appears as a constellation of distant stars. Bacteria is available in 20 colourways.


Pattern repeat 200cm x 150cm.




990202




990203



990403



990303




990302




990502




990404




990503




990102



990301




990105



990103



990401



990104




990201




990304




990501



990101



990106



990402

Description	Flocked flooring	
Dimensions	Roll width 2m Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	20	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV

Our recommended adhesive for Flotex Sottsass is 540 Eurosafe Special or 640 Eurostar Special. Full technical specifications are available at www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

BREEAM ratings

Flotex Sottsass – Flotex F200 HD sheet with PVC backing (EN1307)

	Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria	
Sheet	A	A	A	B	A	A+	✓	

Usage classification

☐ Superior appearance rating ☐ Good appearance rating ● Moderate appearance rating

All items in this range are made to order. Lead time on request.

flotex® sottsass

wool



The Wool design was conceived by Ettore Sottsass when he laid filaments of wool yarns, collected from various countries, onto a flat, coloured surface. It plays on the textures of the individual strands of the natural fibres to give a sense of depth and warmth to the floor along with a defined linear pattern that can dramatically shift the perspective of interior spaces. Wool is available in 12 colourways.

Pattern repeat 200cm x 150cm.




Sottsass Wool 990608 | wool




990607



990609



990605



990606



990612




990604



990608



990610



990601

Description	Flocked flooring	
Dimensions	Roll width 2m Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	12	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _n -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV



BREEAM ratings

Flotex Sottsass – Flotex F200 HD sheet with PVC backing (EN1307)

	Commercial	Education	Health	Domestic	Retail (Durability)	Retail (Fashion)	Meets Ska criteria
Sheet	A	A	A	B	A	A+	✓

Usage classification

☐ Superior appearance rating ◐ Good appearance rating ● Moderate appearance rating

Our recommended adhesive for Flotex Sottsass is 540 Eurosafe Special or 640 Eurostar Special. Full technical specifications are available at www.forbo-flooring.com



Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect..

All items in this range are made to order. Lead time on request.




Terrazzo by Sottsass is a witty “twist” on the concept of Italian Terrazzo (a traditional flooring created several hundred years ago when Venetian workers found a use for discarded marble remnants). Sottsass Association has developed this idea to give the impression of a beautifully laid Mediterranean terrazzo floor. However, on closer inspection, the “chips” in Terrazzo are revealed as pieces of torn paper – each holding its own story – a shredded love letter or a business document? It’s left to the individual to decide and to create their own narrative. Terrazzo is available in 13 colourways.

Pattern repeat 200cm x 150cm.




990709




990708




990713




990707



990702




990704




990705




990711



990710



990706



990701



990703

Description	Flocked flooring	
Dimensions	Roll width 2m Roll length ≤ 30m	
Total thickness	ISO 1765	4.3mm
Slip resistance	Pendulum test	Wet – low slip risk
Collection size	13	
Application	EN 1307	Class 33
Impact sound reduction	EN ISO 717-2	ΔLw = 20 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	B _{fl} -s1
Slip resistance	EN 13893	DS: ≥0.30
Body voltage	EN ISO 10965	< 2 kV

All items in this range are made to order. Lead time on request.



Flotex Sottsass Terrazzo 990701



José Medina Galeote is an artist who uses painting and other techniques to reflect on the creative process. In his work he first establishes themes sometimes stimulating, sometimes provoking, in which the roles of artist and spectator are interchangeable. In his deep reflection on art in general and on painting in particular, José Medina Galeote undertakes an optical experimentation building a particular aesthetic which distinguishes it, both stylistically and in terms of the ideas it carries. Within his work there are clear references to the minimal and conceptual art of the sixties as he raises the question of the very concept of representation reality.

In 2011 The Contemporary Art Centre of Málaga organized an exhibition of his work and has also exhibited in many renowned exhibitions, notably at the Centre Pompidou in Málaga. The collaboration of José Médina Galeote and the design teams of Forbo Flooring Systems gave birth to an unique collection of flooring in which the artist's creations are given a new dimension through the medium of flooring. By bringing his works of art right under our feet, José Médina Galeote explores new perspectives on various textures, such as textile and vinyl flooring. Thanks to high definition printing techniques, Forbo Flooring Systems can bring the creations of José Médina Galeote to life on any floor.

The choice of which type of flooring is up to you :

- The warmth and comfort of Flotex flocked textile
- The extreme resistance of Eternal compact heterogeneous vinyl
- The acoustic comfort of Sarlon 15 dB and 19 dB
- The ease and speed of installation of Modul'up 19 dB

CHOOSE THE TYPE OF FLOORING THAT SUITS YOUR PROJECT.


You can find all technical information about these product constructions on our website under

www.forbo-flooring.com/josemedinagaleote

flotex®



340000 | stripy man 70 x 94 cm



340001 | tiza blanco



340002 | tiza oscuro



340001F | tizia blanco 340002F | tizia oscuro 340000F | stripy man



340003 | dibujar



340006 | pizarra



340007 | lienzo




340004 | pastel



340005 | carboncillo

sarlon® | modul'up® | eternal®



340001 | tiza blanco



340002 | tiza oscuro



340003 | dibujar



340033 | dibujar diapositivos



340034 | labradonita



340006 | pizarra



340004 | pastel



340005 | carboncillo

Looking at the ground has never been so fun and intuitive.

José Medina Galeote

Albayzin

Scribble


Chalkboard

Patchwork

flotex®

*Bring art into the home, onto the floor, and
let it interact fully with the furnitur
and decoration that adorn our homes.*


José Medina Galeote



340012 | glifo



340024 | tinta



340013 | arpillera



340008 | origen



340019 | sepia



340014 | osier



isle 340031



340011 | vestigio



340020 | emaki



340015 | raffia



340025 | nacre




340031 | isle




340009 | firma



340023 | brochazo



340016 | tejido




340029 | aqua



340010 | fuente



340022 | lapicera



340017 | fibras




340028 | olas



340030 | atoll




340021 | lavis



340018 | malla



340027 | anemone



340026 | ambar

Sign

Angles

Dimension

Coralline

Reef

sarlon® | modul'up® | eternal®



340031 | isle



340047 | noche



340048 | lapules azules




340041 | estructura gris



340049 | esmeralda



340040 | estructura gris azulada



340039 | estructura verde



mostaza 340044, verde oliva 340043



340043 | verde oliva



340038 | dunas



340044 | mostaza



340036 | terra



340045 | naranja



340035 | ondas



340040 | estructura gris azulada



340042 | azul cielo



340037 | purdo

340046 | negro oliva

*The potential of a line
to be concrete by the brush.*

José Medina Galeote

Reef

Coralline

Dimension

Angles

Sign

CREATED BY JOSÉ MEDINA GALEOTE

HIGH DEFINITION DIGITAL PRINTING

With over 20 years of experience in high definition digital printing, Forbo Flooring Systems offers you a range of high quality floor coverings, tailored to your needs. Whatever the segment or field of application, José Médina Galeote's creations will come to life under your feet!

CHOOSE THE TYPE OF FLOORING THAT SUITS YOUR PROJECT.


You can find all technical information about these product constructions on our website under www.forbo-flooring.com/josemedinagaleote

	TEXTILE	ORDER ON DEMAND please contact your local sales for detailed information
flotex®	Flotex Flocked Flooring is a unique textile flooring that combines the hard wearing & durable characteristics of a resilient floor with the quality, warmth and comfort of a carpet. Discover the toughness and durability of Flotex which comes as a result of the 80 million nylon 6.6. fibres per m², while experiencing the quietness and comfort normally only associated with a carpet as a result of the impervious cushioned backing.	To order your floor as a flotex floor use the colour code from the flotex designs and add an « F ». So with 340004F you order design patchwork in the colour pastel in Flotex 340004 F = 340004F colour number product type Minimum order quantity: as of 6m²
	VINYL	ORDER ON DEMAND please contact your local sales for detailed information
sarlon®	Sarlon 15dB acoustic vinyl, the hybrid solution without compromise. Sarlon 15 dB is a unique flooring solution for areas with high acoustic and high load requirements. The Sarlon 19dB range is the perfect flooring solution for sound reduction. It offers the best possible acoustic properties along with a residual indentation that is best in class for acoustic flooring solutions.	To order your floor as a sarlon or modul'up floor use the colour code from the vinyl designs and add a suffix as indicated below: « T19 » for sarlon 19dB « T15 » for sarlon 15dB « UP19 » for modul'up 19dB « UPC » for modul'up compact
modul'up®	Modul'up 19 dB loose lay vinyl is committed to the future. Modul'up is the best loose lay floor covering available for high traffic applications. It can be installed quickly without adhesives, and is even more time and cost efficient at time of replacement.	So with 340004UP19 you order design patchwork in the colour pastel in Modul'up 19dB 340004 UP19 = 340004UP19 colour number product type Minimum order quantity: as of 30m²
eternal®	This vinyl sheet collection has been created to work across a wide variety of application areas. Create any desired atmosphere in every space. For every moment of the day Eternal offers the ideal solution: at work, school and in the gym.	To order your floor as eternal floor use the colour code from the vinyl designs and add an « E ». So with 340004E you order design patchwork in the colour pastel in Eternal 340004 E = 340004E colour number product type Minimum order quantity: as of 30m²

mbstudio

José Medina Galeote





'As an architect, interior designer and designer of transmission forms, this collection is inspired by my experiences, observations and fascinations derived from a variety of design fields. These ideas have been visualised in partnership with Forbo Flooring through the medium of high resolution digital printing both on textile and vinyl substrates. Each one giving it's unique characteristics to my imagery.

I have based the collection on the idea of architectural modularity and the desire to organize the space around us in an architectural way. This is realised through the use of repetitive geometric forms, such as hexagons, trapezoids or braided structures which form the base of the collection.

My experience in Interior design has inspired me to combine those structures with the textures of classic interior materials such as wood, fabrics, metal and leather.

As a designer of industrial forms, I am fascinated by organic structures but also new technologies related to 3D printing. By combining these elements with the geometric shapes, the designs I have created achieve a quality of softness and three-dimensionality.

When designing, I like to experiment, I observe the beauty of nature and the physical phenomena that surround us. This often becomes the inspiration for new projects. A unique artistic interpretation.

Throughout the collection there is a recurrent theme based on the variable colours of adjacent modular forms. In nature this is associated with the refraction and absorption of light reflections. I have used it as a design tool, giving each pattern dimension and subtlety which, when combined with the traditional familiarity of modular patterning, creates an exciting fusion of classic form and 21st century technology.'

CHOOSE THE TYPE OF FLOORING THAT SUITS YOUR PROJECT.

You can find all technical information about these product constructions on our website under

www.forbo-flooring.com/macstopa




FLOWER



Geometric yet seemingly organic, Flower combines elements that both challenge and reassure us in a way that provokes thought and discussion blurring the space between nature and design.

360027E | knit

flotex®



360004 | grey jeans



360005 | stripes



360006 | linear beige




360007 | linear grey



360008 | woven



360009 | jute



360010 | flannel



360011 | indigo jeans


eternal®



360027 | knit



360029 | stripes XL



360010 | flannel



360028 | indigo jeans XL



360030 | light wood



360031 | honey wood

How to order the right product :

360010 F = 360010F
colour number product type*

The outcome of the colour differs per chosen product.
The displayed design represents a space of 100 x 100 cm.
*Find the right product code and product explanation on page 319.

TRAPEZOID



Mechanical and repetitive Trapezoid forms blend with recognisable material surfaces, each one playing with dimension and the perception of shape within the patterns context.

360018F | tweed

flotex®



360012 | metal plate



360013 | grey pleated



360014 | jeans




360015 | ink pleated



360016 | metal weave



360017 | braided



360018 | tweed

eternal®



360016 | metal weave



360017 | braided



360018 | tweed



360014 | jeans



360012 | metal plate



360025 | brown leather

How to order the right product :

360012 F = 360012F
colour number product type*

The outcome of the colour differs per chosen product.
The displayed design represents a space of 100 x 100 cm.
*Find the right product code and product explanation on page 319.


WICKER



Based on the traditional structure of a woven form, Wicker transcends the ordinary by taking a range of textures that although familiar become exciting and unusual in the context of this juxtaposition.

360023F | jeans grey XS
360026E | jeans blue

flotex®



360019 | graphic wood

360020 | weave

360021 | denim

360022 | canvas XS

360023 | jeans grey XS

360024 | jeans blue XS

eternal®



360033 | canvas

360032 | tropical wood

360026 | jeans blue

360034 | grass

360020 | weave

360021 | denim

How to order the right product :

360020 **F** = **360020F**
colour number product type*

The outcome of the colour differs per chosen product.
The displayed design represents a space of 100 x 100 cm.
*Find the right product code and product explanation on page 319.

HEXAGON



A seemingly bizarre synergy of conventional form with an unexpected twist, Hexagon is both curious and strangely compelling in a uniquely inspired way.

Flotex naturals


010078F | shaded oak

360001F | blue anemone

flotex®



360003 | fur cool



360001 | blue anemone




360002 | fur warm

eternal®



360003 | fur cool



360001 | blue anemone

How to order the right product :

$$\begin{array}{ccc} 360003 & F & = 360003F \\ \text{colour number} & \text{product type*} & \end{array}$$

The outcome of the colour differs per chosen product.
The displayed design represents a space of 100 x 100 cm.
*Find the right product code and product explanation on page 319.

CREATED BY **MAC STOPA**

HIGH DEFINITION DIGITAL PRINTING

With over 20 years of experience in high definition digital printing, Forbo Flooring Systems offers you a range of high quality floor coverings, tailored to your needs. Whatever the segment or field of application, Mac Stopa's creations will bring the floor to life!

CHOOSE THE TYPE OF FLOORING THAT SUITS YOUR PROJECT.

You can find all technical information about these product constructions on our website under www.forbo-flooring.com/macstopa

	TEXTILE	ORDER ON DEMAND please contact your local sales for detailed information
flotex®	Flotex Flocked Flooring is a unique textile flooring that combines the hard wearing & durable characteristics of a resilient floor with the quality, warmth and comfort of a carpet. Discover the toughness and durability of Flotex which comes as a result of the 80 million nylon 6.6. fibres per m2, while experiencing the quietness and comfort normally only associated with a carpet as a result of the impervious cushioned backing.	To order your floor as a flotex floor use the colour code from the flotex designs and add an « F ». So with 360010F you order design Flower in the colour flannel in Flotex 360010 F = 360010F colour number product type Minimum order quantity: as of 6m²
	VINYL	ORDER ON DEMAND please contact your local sales for detailed information
eternal®	This vinyl sheet collection has been created to work across a wide variety of application areas. Create any desired atmosphere in every space. For every moment of the day Eternal offers the ideal solution in working, learning or relaxing environments. The balanced construction offers lowest residual indentation and the PUR Pearl finish brings the best protection against scuff and scratching.	To order your floor as eternal floor use the colour code from the vinyl designs and add an « E ». So with 360010E you order design Flower in the colour flannel in Eternal 360010 E = 360010E colour number product type Minimum order quantity: as of 30m²



Custom flooring

Can't find what you are looking for despite our wide product range? No worries, we have more. Within our Bespoke Design flooring you can design your own unique floor with our digital print techniques in Flotex, project vinyl and Coral entrance flooring and the refined Aquajet cutting technique for Marmoleum flooring.

Flotex vision

Forbo offers a unique Flotex collection of over 500 digitally printed designs in high level photographic resolutions. Flotex flocked flooring is a unique textile floor covering that combines the hard wearing and durable characteristics of a resilient floor with the comfort and warmth of a carpet.



Eternal bespoke

Our advanced digital printing technology enables striking floor visuals that cannot be achieved with conventional print techniques. It enables you to design your own unique floor in the high quality of our heterogeneous vinyl sheet flooring.




Designing with Marmoleum

Are you looking for something unique on your floor? That is also sustainable and durable? Our Designing with Marmoleum selection offers you just that. With our Aquajet technique we can create the most precise and detailed floor designs. From laser engraved Marmoleum tiles to exciting designs created by international designers. Explore your options below!



Coral logo entrance flooring

Great looks for a great welcome. Forbo offers a bespoke print and cut-out design service to create your own unique entrance mat. Forbo Coral Logo entrance flooring will retain its looks whilst keeping out dirt and moist for years to come



We have many options to customise your floor. This graph shows you the extensive possibilities, we invite you to visit our website and find out which solution fits you best or contact our local customer service department to help you out.

	Choose from a design library	Recolour option	Digital print custom design	Special shapes & cuts	Laser edging
Designing with textile	●	●	●	●	
Designing with vinyl	●	●	●	●	
Designing with marmoleum				●	●
Designing with the entrance systems			●	●	

Flotex vision & Eternal bespoke

The **digital** world of **Flotex** and **vinyl**

High definition digital print

With a smooth, velour like surface that looks and feels like a carpet, Flotex is the perfect textile substrate for vibrant designs and true to life visuals which can be produced in high level photographic resolution. All desired colour shades and hues can be achieved.

Fantastic effects

Digital print offers an infinite number of design options ranging from abstracts with intricate colour spectrums to realistic images of natural materials like sand, grass and water. Create 3D depth or a "trompe d'oeil" effect on your floor. Or bring nature into your room by choosing a floor covering with autumn leaves or flowers.



Endless design options

Digital printing is also well suited for those collections that require visual detail and effects that cannot easily be reached through conventional print. Our Flotex custom flooring collection contains more than 500 individual items.

Colour your own

Do you like the design, but you cannot find the colours you want?

A large number of designs can be recoloured to perfectly match the colour selection you prefer!

Bespoke design

You can also create something bespoke for a truly individual solution. Whether it be photography, commercial branding or specific Pantone references, we can work to match your requirements. We offer a bespoke design service on request, please contact your local sales representative for more information.


To view all our bespoke designs go to: www.forbo-flooring.com/customflooring



Floral



Linear



Textile | texture



Geometric | graphik



Organic




Natural world



Stone | ceramic



Statement






Forbo's London EC1 showroom

FURTHER INFORMATION

Online services

Access Forbo 24/7 to find inspiration and information by visiting www.forbo-flooring.com or by following us on social media. To find out more, see page 320.



Our magazines

Interested in architectural stories and want to see some stunning projects, please check out our Archidea website.



Sample service

Forbo offers a next day sample service on commercial sample requests as we know how important it can be to see the actual material you are thinking of using. See page 323 to find out more.






FLOORING SYSTEMS

PRODUCTS

SEGMENTS

INSPIRATION &
REFERENCESCREATING BETTER
ENVIRONMENTS[Home](#) | [Inspiration & References](#) | [References](#)

Downloads es (134)



All our brochures, technical specifications and installation instructions can also be downloaded – just click www.forbo-flooring.com/downloads. We've also got a FAQ section for when you need the answer quickly.

Installation and cleaning videos



In our Installation & Floorcare section you'll also find links to an ever increasing series of YouTube video guides – we're producing these for most of the products in our range to help your customers keep their floor coverings looking as good as the day they were installed.

www.forbo-flooring.com/installation

Forbo Floorplanner



With our floorplanner you can play with all our available floors. There are set roomsets in various segments or you can upload your own image to see how your future floor will look.

For more information, please visit www.forbo-flooring.com/floorplanner

References



If you are looking for inspiration by seeing how our customers use our products, or are looking for a specific product in a certain segment, please visit the 'Inspiration and references' page on our website www.forbo-flooring.com/references



BIM

Forbo Flooring Systems offers BIM objects of all its collections. The Forbo BIM files can be accessed through www.forbo-flooring.com/BIM

Social Media

[@forboflooringsystems](https://www.facebook.com/forboflooringsystems)[@forboflooring](https://twitter.com/forboflooring)[@forboflooringsystems](https://www.instagram.com/forboflooringsystems)[/forboflooring](https://www.pinterest.com/forboflooring/)[forboflooringsystems](https://www.youtube.com/forboflooringsystems)[company/forbo/](https://www.linkedin.com/company/forbo/)

EVERYTHING YOU NEED IN A COUPLE OF CLICKS

www.forbo-flooring.com


Please visit your local Forbo-Flooring website for information on the latest collections, inspiration and references, downloads, segment information as well as our sample ordering services.

OTHER INFORMATION.

Want to keep in touch with all the latest product and design trends in your sector? Simply register to any of our magazines via **www.archidea.com**

ArchIdea

Our global architects' magazine



SAMPLE SERVICE



We realize how important it is to physically see a product sample before purchasing our floor coverings. There are many ways to order larger sample formats. This can be done via email, via a contact to our customer service department, via our sales accountants and via the Forbo Flooring systems websites. Your samples will be dispatched the same day your request is made. You can also check with your local sales rep whether you can pick the samples up from a showroom or dealer near you.



Forbo Flooring Systems is part of the Forbo Group, a global leader in flooring and movement systems, and offers a full range of flooring products for commercial and affordable housing and new build markets. High quality linoleum, vinyl, textile, flocked and entrance flooring products combine functionality, colour and design, offering total flooring solutions for any indoor environment.

Forbo Flooring B.V.
P.O. Box 13
1560 AA Krommenie
The Netherlands
question@forbo.com
www.forbo-flooring.com

238925/012022

Find us on



creating better environments



FLOORING SYSTEMS